

# poultry



Slaughtered under Federal Inspection and  
Poultry Used in Further Processing

June 1971

Release:  
August 3, 1971  
3:00 P.M. EDT

Inspected Poultry - There were 1,159 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during June 1971 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 18 percent more than the previous month and slightly above June 1970.

The number of head and pounds live weight inspected by classes were: young chickens - 252,451,000 head, 915,108,000 pounds; mature chickens - 16,215,000 head, 73,227,000 pounds; fryer-roaster turkeys - 1,052,000 head, 9,351,000 pounds; young turkeys - 8,006,000 head, 146,702,000 pounds; old turkeys - 297,000 head, 5,996,000 pounds; and ducks - 1,334,000 head, 8,394,000 pounds.

Poultry Certified Wholesome in June totaled 834,449,000 pounds ready-to-cook weight, of which 655,526,000 pounds were chilled and 178,923,000 were frozen. Pounds certified by class of poultry were: young chickens, 654,278,000; mature chickens, 46,344,000; fryer-roaster turkeys, 7,213,000; young turkeys, 115,768,000; old turkeys, 4,702,000; ducks, 5,954,000 and other poultry, 190,000.

Further Processed - Poultry inspected and used for further processing totaled 124,410,000 pounds ready-to-cook weight, compared with 104,096,000 pounds in June 1970. The June 1971 total consisted of 33,951,000 pounds young chickens, 37,376,000 pounds mature chickens, 46,236,000 pounds turkeys, and 6,847,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 199,526,000 pounds ready-to-cook weight, compared with 174,135,000 pounds a year earlier. The breakdown by class was: young chickens, 182,375,000 pounds; mature chickens, 883,000; turkeys, 16,030,000; and other poultry, 238,000 pounds.

Ante-Mortem Condemnations during June were 5,523,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.47; mature chickens, 1.04; fryer-roaster turkeys, 0.19; young turkeys, 0.23; old turkeys, 0.41; and ducks, 0.05.

Post-Mortem Condemnations in June were 35,755,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.47; mature chickens, 5.16; fryer-roaster turkeys, 1.87; young turkeys, 2.58; old turkeys, 4.01; and ducks, 1.50.

**UNITED STATES DEPARTMENT OF AGRICULTURE**

STATISTICAL REPORTING SERVICE CROP REPORTING BOARD

Pou 2-1 (8-71)

WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1971 WITH COMPARISONS

NUMBER INSPECTED	3/	CHICKENS	MATURE	CHICKENS	TOTAL	FRYER	ROASTERS	YOUNG	TURKEYS	OLD	TOTAL	TURKEYS	DUCKS	OTHER	TOTAL
MAY 1971	227,630	13,591	241,221	793	3,951	93	4,837	1,013	---	---	---	---	---	---	---
JUNE 1971	259,718	14,755	274,473	919	6,929	318	8,166	1,483	---	---	---	---	---	---	---
JUNE 1971	252,451	16,215	268,666	1,052	8,006	297	9,355	1,334	---	---	---	---	---	---	---
JAN.-JUNE 1970	1,389,678	87,797	1,477,475	5,017	15,086	566	20,669	5,111	---	---	---	---	---	---	---
JAN.-JUNE 1971	1,370,095	95,784	1,465,879	6,172	20,619	627	27,418	4,785	---	---	---	---	---	---	---
POUNDS INSPECTED	4/	831,477	62,244	893,721	7,271	70,855	1,902	80,028	6,496	255	980,500	6,496	9,395	299	1,154,962
MAY 1971	936,822	69,937	1,006,759	8,209	124,079	6,221	138,509	9,395	354	1,159,132	9,395	354	1,244	5,809,607	1,244
JUNE 1971	915,108	73,227	988,335	9,351	146,702	5,996	162,049	32,175	30,597	1,545	5,942,102	30,597	1,545	5,942,102	1,545
JAN.-JUNE 1970	5,031,257	404,706	5,435,963	46,412	282,410	11,403	340,225	462,773	---	---	---	---	---	---	---
JAN.-JUNE 1971	5,014,908	432,279	5,447,187	56,262	393,816	12,695	462,773	---	---	---	---	---	---	---	---
AVERAGE LIVEWEIGHTS/															
MAY 1971	3.65	4.58	3.70	9.17	17.93	20.51	16.55	6.41	---	---	---	---	---	---	---
JUNE 1971	3.61	4.74	3.67	8.94	17.91	19.59	16.96	6.33	---	---	---	---	---	---	---
JUNE 1971	3.62	4.52	3.68	8.89	18.32	20.18	17.32	6.29	---	---	---	---	---	---	---
JAN.-JUNE 1970	3.62	4.61	3.68	9.25	18.72	20.15	16.46	6.29	---	---	---	---	---	---	---
JAN.-JUNE 1971	3.66	4.51	3.72	9.12	19.10	20.25	16.88	6.39	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MAY 1971, 2,497; JUNE 1970, 3,296; AND JUNE 1971, 2,778.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MAY 1971, 187; JUNE 1970, 616; AND JUNE 1971, 625.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JUNE 1971 WITH COMPARISONS 1/

YOUNG	MATURE	CHICKENS	TOTAL	FRYER	ROASTERS	YOUNG	TURKEYS	OLD	TOTAL	TURKEYS	DUCKS	OTHER	TOTAL
MAY 1971	541,609	30,319	571,928	1,648	10,780	325	12,753	282	584,988	25	4,358	112	114,551
JUNE 1970	50,524	9,242	59,766	3,994	45,172	1,149	50,315	4,640	699,539	137	6,640	29	656,306
JUNE 1971	592,133	39,561	631,694	5,642	55,952	1,474	63,068	6,444	827,178	161	6,645	132	170,872
JUNE 1971	604,491	32,620	637,111	1,392	16,218	1,355	18,965	201	655,526	44	5,633	146	178,923
JANUARY-JUNE 1970	51,574	12,165	73,739	4,949	82,040	3,568	90,557	5,954	834,449	190	5,954	105	3,462,349
JANUARY-JUNE 1971	666,065	44,785	710,850	6,341	98,258	4,923	109,522	6,818	657,046	562	22,880	667	4,119,395
JANUARY-JUNE 1971	597,420	35,529	632,949	2,052	18,688	1,472	22,212	321	655,526	44	5,633	146	178,923
JANUARY-JUNE 1971	56,858	10,815	67,673	5,161	97,080	3,230	105,471	5,954	834,449	190	5,954	105	3,462,349
JANUARY-JUNE 1971	654,278	46,344	700,622	7,213	115,768	4,702	127,683	6,818	657,046	562	22,880	667	4,119,395
JANUARY-JUNE 1971	3,206,790	194,845	3,401,635	9,160	48,072	2,188	59,420	1,189	3,462,349	105	21,691	562	657,046
JANUARY-JUNE 1971	364,683	62,681	427,364	26,840	173,771	6,818	207,429	21,691	657,046	562	22,880	667	4,119,395
JANUARY-JUNE 1971	3,571,473	257,526	3,828,999	36,000	221,843	9,006	266,849	1,524	3,533,795	193	20,296	634	681,200
JANUARY-JUNE 1971	3,238,329	217,036	3,455,365	9,999	64,417	2,297	76,713	1,524	3,533,795	193	20,296	634	681,200
JANUARY-JUNE 1971	317,352	57,128	374,480	33,551	244,634	7,605	285,790	21,820	362,503	827	21,820	827	4,214,995
JANUARY-JUNE 1971	3,555,681	274,164	3,829,845	43,550	309,051	9,902	362,503	21,820	4,214,995	827	21,820	827	4,214,995

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1971 WITH COMPARISONS 3/

	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :		: TOTAL :
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: PCULTRY :	
ANTS-MORTEM											
1,000 POUNDS (LIVEWEIGHT):											
JUNE 1970:	4,698	690	5,388	21	276	19	316	11	5	---	5,715
JUNE 1971:	4,363	764	5,127	18	348	25	391	11	5	---	5,523
JAN.-JUNE 1970:	21,058	3,687	24,745	101	707	35	843	36	3	3	25,627
JAN.-JUNE 1971:	19,432	3,986	23,418	110	925	46	1,081	17	2	2	24,518
PERCENT 1/											
JUNE 1970:	.50	.98	.53	.25	.22	.30	.22	.11	.11	.28	.49
JUNE 1971:	.47	1.04	.51	.19	.23	.41	.24	.05	.05	.22	.47
POST-MORTEM											
1,000 LBS. (N.Y. DRESSED):											
JUNE 1970:	31,538	3,421	34,959	147	2,695	196	3,038	148	3	3	38,147
JUNE 1971:	28,501	3,365	31,866	158	3,398	215	3,771	113	4	4	35,755
JAN.-JUNE 1970:	189,175	20,612	209,787	792	8,136	420	9,348	508	12	12	219,654
JAN.-JUNE 1971:	188,558	21,887	210,445	1,055	10,537	529	12,121	490	17	17	223,072
PERCENT 2/											
JUNE 1970:	3.76	5.49	3.88	1.99	2.41	3.50	2.44	1.75	.95	.95	3.69
JUNE 1971:	3.47	5.16	3.60	1.87	2.58	4.01	2.59	1.50	1.14	1.14	3.44

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1971 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY :	
	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP :
POUNDS USED READY-TO-COOK WEIGHT 2/										
MAY 1971 :	30,673	167,836	36,731	225	32,671	12,135	6,082	205	106,157	180,401
JUNE 1970 :	30,250	159,467	32,321	424	35,431	14,165	6,094	79	104,096	174,135
JUNE 1971 :	33,951	182,375	37,376	883	46,236	16,030	6,847	238	124,410	199,526
JANUARY-JUNE 1970 :	168,225	882,855	184,016	4,362	180,197	64,733	46,729	1,034	579,167	952,984
JANUARY-JUNE 1971 :	184,857	989,435	228,864	2,755	222,506	78,877	43,661	1,773	679,888	1,072,840
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
MAY 1971 :	389	1,099	49	1	29	129	11	1	478	1,230
JUNE 1970 :	313	1,169	48	25	66	12	18	3	445	1,209
JUNE 1971 :	458	1,289	41	6	27	179	23	2	549	1,476
JANUARY-JUNE 1970 :	1,117	5,727	398	98	1,236	1,130	172	8	2,923	6,963
JANUARY-JUNE 1971 :	2,079	7,397	278	15	192	763	171	7	2,720	8,182

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
		1970	1971	1970	1971	1970	1971	1970	1971			
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-				
N. ATLANTIC	15,320	15,071	62,392	59,838	4.07	3.99	44,769	42,811	2,261	2,166	4.04	4.03
E. N. CENTRAL	2,826	3,333	10,706	11,451	3.82	3.77	7,917	8,366	271	321	2.80	3.12
W. N. CENTRAL	7,069	8,230	25,152	30,628	3.56	3.72	17,796	21,628	959	1,145	4.26	4.18
S. ATLANTIC	118,642	111,812	395,139	373,915	3.64	3.67	280,322	267,236	14,484	11,936	4.09	3.56
S. CENTRAL	119,063	119,218	419,574	416,001	3.52	3.52	257,931	298,048	12,857	11,982	3.43	3.21
WEST	6,798	6,157	24,769	23,276	3.64	3.78	17,330	16,189	706	951	3.18	4.55
U. S.	259,718	252,451	936,822	915,108	3.61	3.62	666,065	654,278	31,538	28,501	3.76	3.47
MAINE	6,892	6,545	28,711	26,725	4.17	4.08	20,845	19,604	925	579	3.59	2.41
PENNSYLVANIA	7,586	7,826	30,260	30,480	3.99	3.89	21,515	21,448	1,181	1,482	4.35	5.42
OHIO	---	259	---	1,009	---	3.90	---	---	737	---	29	---
INDIANA	1,337	1,365	4,882	4,797	3.65	3.52	3,609	3,542	131	131	3.00	3.04
WISCONSIN	1,445	1,431	5,628	5,602	3.90	4.00	4,109	4,086	131	161	2.60	3.20
MINNESOTA	---	807	---	3,098	---	3.84	---	---	2,281	---	86	---
MISSOURI	5,757	6,623	20,236	24,624	3.52	3.72	14,166	17,316	839	949	4.62	4.31
DELAWARE	8,431	8,611	33,008	33,693	3.92	3.91	23,426	23,784	1,016	1,198	3.43	3.96
MARYLAND	16,153	11,937	61,915	45,911	3.83	3.85	44,533	32,955	1,884	1,651	3.39	4.01
VIRGINIA	8,262	10,727	28,350	39,022	3.43	3.64	19,399	27,509	905	1,020	3.55	2.91
NORTH CAROLINA	27,984	25,971	103,102	97,197	3.68	3.74	73,236	70,201	3,445	2,729	3.73	3.13
SOUTH CAROLINA	3,164	3,182	11,451	10,697	3.62	3.36	7,850	7,409	515	417	5.02	4.35
GEORGIA	39,370	36,216	138,360	129,206	3.51	3.57	98,560	92,664	6,066	4,366	4.89	3.77
TENNESSEE	6,608	6,428	22,753	22,172	3.44	3.45	16,515	15,940	692	725	3.39	3.64
ALABAMA	30,791	31,554	111,479	109,688	3.62	3.48	77,809	78,091	4,802	4,428	4.81	4.50
MISSISSIPPI	20,197	20,802	70,221	74,164	3.48	3.57	51,347	53,932	1,386	1,812	2.20	2.72
ARKANSAS	36,603	34,500	117,461	118,681	3.39	3.44	82,856	84,134	3,281	2,758	3.12	2.59
LOUISIANA	5,110	4,320	18,180	15,770	3.56	3.65	13,199	11,505	438	388	2.69	2.75
TEXAS	17,290	16,066	62,357	59,630	3.61	3.71	44,732	43,150	1,837	1,500	3.29	2.81
WASHINGTON	---	---	7,039	---	---	---	4,865	---	216	---	---	---
CALIFORNIA	3,176	2,930	11,906	11,340	3.75	3.87	8,487	7,889	310	549	2.91	5.39

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONCERNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1971

REGION AND STATE	YUBER- : CULOSIS : : NO.	LEU- : KOSIS : : NO.	SEPTI- : CEMIA : : NO.	AIRSAC- : CULITIS : : NO.	SYNO- : VITIS : : NO.	TUMORS : : NO.	BRUISES : : NO.	CADAVER : : NO.	CONTAM- : INATION : : NO.	OVER- : SCALD : : NO.	OTHER : : NO.	TOTAL : NO.
N. ATLANTIC	---	194,342	120,037	88,393	2,823	1,044	6,001	16,480	31,294	2,041	16,244	479,599
E. N. CENTRAL	---	48,110	21,835	2,940	1,039	41	2,251	3,650	5,659	1,748	1,411	88,684
W. N. CENTRAL	---	61,023	63,758	107,433	10,915	876	5,669	7,904	22,324	1,268	11,850	293,000
S. ATLANTIC	---	1,574,980	510,984	425,260	31,877	8,604	46,734	77,991	295,405	30,230	160,218	3,162,283
S. CENTRAL	---	1,595,720	516,335	293,924	79,686	14,056	62,951	116,748	221,599	27,685	116,702	3,045,406
WEST	---	131,027	49,767	60,256	1,432	2,772	2,162	6,114	7,882	1,125	17,419	279,960
U. S.	---	3,605,202	1,283,596	978,206	127,772	27,393	125,768	228,887	584,163	64,101	323,844	7,348,932
MAINE	---	33,151	47,091	5,019	1,915	319	1,716	7,166	6,886	927	2,642	106,832
PENNSYLVANIA	---	153,600	70,285	81,527	821	620	3,847	8,708	21,725	1,072	12,455	354,660
OHIO	---	3,348	2,868	896	95	21	252	1,170	520	14	12	9,196
INDIANA	---	29,064	7,517	1,029	---	9	629	639	967	26	11	39,891
WISCONSIN	---	15,697	11,440	1,015	944	9	1,367	1,841	4,172	1,708	1,388	39,581
MINNESOTA	---	6,980	3,250	201	57	48	279	154	4,844	75	5,702	21,590
MISSOURI	---	49,337	51,101	94,855	6,166	550	4,128	6,694	15,465	1,170	5,464	234,930
DELAWARE	---	150,922	37,246	65,498	2,512	313	2,252	4,694	18,047	4,104	6,189	291,777
MARYLAND	---	201,043	74,099	98,188	4,084	706	3,679	7,969	26,705	4,365	4,865	425,707
VIRGINIA	---	138,430	76,321	54,179	1,569	484	5,566	7,261	15,256	3,039	3,651	305,756
NORTH CAROLINA	---	183,737	144,432	109,907	11,092	2,985	17,087	22,026	82,859	5,807	76,557	656,469
SOUTH CAROLINA	---	70,651	14,358	11,509	552	305	2,177	4,017	12,203	25	2,508	118,309
GEORGIA	---	727,912	149,873	79,055	11,294	3,528	14,605	25,296	132,693	12,205	47,871	1,204,340
TENNESSEE	---	138,416	29,862	10,067	2,120	512	2,239	4,604	16,202	1,295	11,468	216,885
ALABAMA	---	921,533	117,955	40,470	10,790	3,714	12,363	28,680	75,325	4,699	36,826	1,252,355
MISSISSIPPI	---	213,219	41,308	50,988	8,890	3,014	7,830	13,876	41,100	2,433	30,650	413,308
ARKANSAS	---	150,053	181,393	137,137	37,829	4,029	19,170	36,947	53,812	8,024	20,958	649,352
LOUISIANA	---	21,300	31,748	10,830	2,686	548	3,748	6,715	5,234	3,862	1,973	88,644
TEXAS	---	122,500	90,174	36,647	16,248	1,955	13,179	19,083	24,054	5,871	11,370	341,081
CALIFORNIA	---	79,594	24,591	42,671	419	2,727	631	2,446	2,915	295	3,282	159,571

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
	INSPECTED		INSPECTED		LIVEWEIGHT		CERTIFIED		CONDEMNATIONS		
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	
	-THOUSANDS-		-POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	1,468	1,897	7,415	9,231	5.05	4.89	4,807	5,975	372	441	5.62
E. N. CENTRAL	1,979	2,032	8,584	7,999	4.34	3.94	5,248	4,874	287	285	4.01
W. N. CENTRAL	3,545	3,962	15,708	16,939	4.43	4.28	9,756	10,514	836	767	5.98
S. ATLANTIC	3,616	3,880	17,104	18,361	4.73	4.73	11,126	11,922	933	773	6.12
S. CENTRAL	2,590	2,545	14,508	12,721	5.60	5.00	9,810	8,173	593	674	4.59
WEST	1,561	1,900	6,618	7,976	4.24	4.18	4,038	4,886	400	425	6.79
U. S.	14,759	16,215	69,937	73,227	4.74	4.52	44,785	46,344	3,421	3,365	5.49
MAINE	244	261	1,548	1,637	6.34	6.26	1,041	1,154	55	57	3.95
NEW JERSEY	840	1,096	3,620	4,650	4.31	4.24	2,233	2,819	210	262	6.50
PENNSYLVANIA	95	54	667	417	7.01	7.70	454	287	19	8	3.17
OHIO	345	368	1,421	1,533	4.12	4.16	852	917	65	54	5.14
INDIANA	661	698	2,606	2,710	3.94	3.88	1,611	1,722	75	70	3.20
MINNESOTA	1,372	1,747	5,191	6,553	3.78	3.75	3,123	3,984	267	296	5.77
MISSOURI	981	959	6,048	5,774	6.17	6.02	4,096	3,910	293	237	4.59
DELAWARE	43	---	324	---	7.56	---	231	---	7	---	2.51
VIRGINIA	82	41	612	304	7.51	7.45	429	207	21	13	3.86
NORTH CAROLINA	378	233	2,899	1,709	7.67	7.33	1,955	1,126	121	54	4.69
GEORGIA	2,164	2,809	9,518	13,013	4.40	4.63	6,213	8,514	532	563	6.27
ALABAMA	269	51	1,883	370	7.00	7.21	1,270	258	75	15	4.44
MISSISSIPPI	1,353	1,635	7,031	7,979	5.20	4.88	4,786	5,056	271	474	4.33
ARKANSAS	233	76	1,712	565	7.34	7.42	1,172	383	75	23	4.92
LOUISIANA	51	---	355	---	6.94	---	255	---	10	---	3.26
TEXAS	528	540	2,678	2,515	5.07	4.66	1,737	1,624	133	115	5.58
WASHINGTON	116	74	529	306	4.57	4.11	342	209	22	11	4.67
CALIFORNIA	1,300	1,559	5,463	6,491	4.20	4.16	3,296	3,919	345	359	7.10

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR FURNISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1971

REGION AND STATE	TUBER- : NO.		LEU- : NO.		SEPTI- : NO.		AIRSAC- : NO.		SYNO- : NO.		TUMORS : NO.		BRUISES : NO.		CADAVER : NO.		INATION : NO.		CONTAM- : NO.		OVER- : NO.		SCALD : NO.		OTHER : NO.		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	8	4,182	26,411	46	489	19,022	3,035	2,520	6,353	243	12,978	75,287															
E. N. CENTRAL	138	6,161	26,258	377	107	19,878	3,642	3,642	6,455	304	4,180	74,334															
W. N. CENTRAL	1,843	10,875	60,189	2,178	294	57,395	13,324	5,228	12,117	891	13,133	177,471															
S. ATLANTIC	3	4,817	59,191	696	781	34,370	8,620	6,935	26,581	1,196	14,466	157,656															
S. CENTRAL	---	4,515	46,861	138	1,041	24,835	8,920	2,894	12,682	458	18,242	120,586															
WEST	---	1,261	47,770	61	235	41,477	5,759	1,033	6,827	233	13,155	117,811															
U. S.	1,992	31,811	266,780	3,496	2,947	196,981	46,352	22,252	71,015	3,325	76,154	723,145															
MAINE	6	952	3,195	3	134	1,292	304	151	1,000	3	119	7,159															
NEW JERSEY	2	1,914	18,966	3	54	13,757	2,254	1,844	3,091	202	12,080	54,167															
PENNSYLVANIA	---	111	513	15	19	96	16	36	63	---	156	1,025															
OHIO	1	2,304	3,201	11	---	1,871	803	144	938	15	1,825	11,113															
INDIANA	19	1,685	9,207	---	---	7,457	491	986	2,376	1	1,263	23,485															
MINNESOTA	1,277	4,079	20,416	1,044	180	27,635	6,959	1,764	6,214	290	8,410	78,268															
MISSOURI	71	2,427	19,559	326	82	5,814	2,546	853	1,687	95	839	34,703															
VIRGINIA	---	141	978	30	1	140	13	178	169	---	14	1,664															
NORTH CAROLINA	---	1,005	1,482	243	175	388	168	97	759	8	1,439	5,764															
GEORGIA	---	1,882	46,777	285	422	24,980	7,020	6,005	19,843	1,081	12,214	120,509															
ALABAMA	---	130	712	11	28	130	25	69	523	38	194	1,860															
MISSISSIPPI	---	2,690	32,449	6	693	16,965	6,787	1,931	9,558	269	9,942	81,290															
ARKANSAS	---	191	1,352	43	88	103	44	44	547	3	88	2,507															
TEXAS	---	1,028	6,187	49	114	7,130	710	545	1,507	139	7,791	25,200															
WASHINGTON	---	202	1,165	3	4	460	139	49	173	46	703	2,944															
CALIFORNIA	---	782	40,365	41	106	39,157	4,223	659	4,947	141	9,751	100,172															

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	1970	INSPECTED (LIVEWEIGHT)	1970	LIVEWEIGHT	1970	CERTIFIED (READY-TO-COOK WT.)	1970	POUNDS (NYD)	PERCENT 2/
	1971	1971	1971	1971	1970	1971	1970	1971	1970	1970
	- THOUSANDS-	- 1,000 POUNDS-	- POUNDS-	- 1,000 POUNDS-	- POUNDS-	- 1,000 POUNDS-	- 1,000 POUNDS-	- PERCENT-		
N. ATLANTIC	72	1,167	3,004	16,21	21,46	918	2,407	15	47	1.42
E. N. CENTRAL	444	7,795	9,712	17,54	18,06	6,182	7,745	135	110	1.92
W. N. CENTRAL	1,660	27,217	39,115	16,40	17,35	21,655	31,012	585	853	2.39
S. ATLANTIC	1,144	20,055	22,083	17,53	17,91	15,801	17,362	560	645	3.11
S. CENTRAL	1,652	31,438	32,995	19,03	18,73	24,706	25,612	852	958	3.01
WEST	1,957	36,407	39,793	18,61	19,14	28,996	31,630	548	785	1.67
U. S.	6,929	124,079	146,702	17,91	18,32	98,258	115,768	2,695	3,398	2.41
PENNSYLVANIA	67	1,117	2,951	16,69	21,31	880	2,367	13	46	1.32
OHIO	140	2,640	3,598	18,89	19,28	2,089	2,864	35	55	1.45
INDIANA	82	---	1,365	---	16,65	---	1,087	---	10	---
WISCONSIN	226	3,728	---	16,50	---	2,979	---	56	---	1.67
MINNESOTA	725	12,243	14,530	16,89	18,50	9,767	11,668	256	264	2.32
IOWA	398	6,563	9,269	16,49	16,70	5,101	7,122	187	243	3.17
MISSOURI	432	6,487	12,071	15,00	16,45	5,245	9,652	101	290	1.72
VIRGINIA	380	7,384	6,947	19,45	18,15	5,675	5,386	261	213	3.94
WORTH CAROLINA	590	9,416	11,552	15,96	16,68	7,618	9,224	208	336	2.45
ARKANSAS	812	15,261	16,226	18,80	18,17	12,049	12,593	433	492	3.16
TEXAS	744	14,077	14,413	18,92	19,58	10,999	11,129	363	435	2.87
COLORADO	291	5,918	7,384	20,30	19,57	4,642	5,785	64	113	1.19
UTAH	249	4,272	4,847	17,18	18,02	3,400	3,866	79	125	2.06
CALIFORNIA	1,284	23,813	25,284	18,55	19,20	19,026	20,199	384	519	1.79

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1971

REGION AND STATE	TUBER- : NO.	CULOSIS : NO.	LEU- KOSIS : NO.	SEPTI- : NO.	CEMIA : NO.	AIRSA- : NO.	SYNO- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATION : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
V. ATLANTIC	---	---	95	739	534	102	1	11	22	72	1	2	1,579				
E. N. CENTRAL	---	---	23	2,074	698	46	4	183	233	363	137	60	3,821				
W. N. CENTRAL	---	---	22	21,108	7,420	4,039	61	481	1,117	2,098	284	677	37,307				
S. ATLANTIC	---	---	12	12,457	7,759	1,308	51	446	806	1,709	161	1,293	26,002				
S. CENTRAL	---	---	39	16,487	5,528	13,115	202	412	899	1,388	33	2,284	40,387				
WEST	---	---	86	16,761	7,368	8,171	189	352	716	785	42	210	34,680				
U. S.	---	---	277	69,626	29,307	26,781	508	1,885	3,793	6,415	658	4,526	143,776				
PENNSYLVANIA	---	---	95	733	527	102	1	9	21	69	1	1	1,559				
OHIO	---	---	12	1,106	356	6	3	38	80	170	---	1	1,772				
INDIANA	---	---	---	196	63	---	---	7	56	58	---	16	356				
MINNESOTA	---	---	1	7,715	2,575	821	3	84	408	531	178	62	12,378				
IOWA	---	---	---	5,069	1,373	305	49	154	222	501	25	65	7,763				
MISSOURI	---	---	12	7,360	2,932	2,879	3	175	370	1,001	50	534	15,316				
VIRGINIA	---	---	1	6,794	2,129	73	5	170	477	473	34	49	10,205				
NORTH CAROLINA	---	---	6	4,316	4,671	1,180	23	213	247	1,013	44	940	12,653				
ARKANSAS	---	---	4	7,682	1,562	10,899	14	174	406	930	31	74	21,776				
TEXAS	---	---	32	7,666	3,907	2,197	182	195	399	345	2	2,210	17,135				
COLORADO	---	---	1	1,668	1,917	523	6	30	219	110	4	8	4,486				
UTAH	---	---	2	3,465	474	704	17	110	72	286	5	101	5,236				
CALIFORNIA	---	---	83	10,699	4,823	6,724	161	165	396	355	29	85	23,520				

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE		TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
			1970	1971		1970	1971
			--POUNDS--			--PERCENT--	
			-1,000 POUNDS-			-1,000 POUNDS-	
N. ATLANTIC	57	32	506	295	403	235	6
E. N. CENTRAL	87	---	808	---	617	---	11
W. N. CENTRAL	346	360	3,356	3,168	2,516	2,655	44
S. ATLANTIC	400	400	3,025	3,421	2,262	2,565	69
S. CENTRAL	10	11	86	83	66	62	1
WEST	74	249	616	2,196	477	1,696	16
U. S.	910	1,052	8,209	9,351	6,341	7,213	147
MINNESOTA	346	354	3,168	3,303	2,516	2,612	44
VIRGINIA	281	291	2,473	2,463	1,826	1,817	57
CALIFORNIA	56	211	479	1,912	368	1,467	14

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DABBERS NEAR LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1971

REGION AND STATE	TUPER	SCULOSIS	LFU	KOSIS	SEPTI	CEPIA	CULITIS	AYRSAC	SYNO	VITIS	TUMORS	BRUISES	CADAVER	INATION	CONTAM	OVER	SCALD	OTHER	TOTAL
V. ATLANTIC	---	---	---	1	128	40	---	---	---	---	---	1	---	---	51	---	---	---	223
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	---	1	2,954	649	34	5	31	163	814	48	34	4,733	34	48	34	4,733	
S. ATLANTIC	---	---	---	---	2,524	697	36	26	161	237	897	80	330	4,988	80	80	330	4,988	
S. CENTRAL	---	---	---	---	186	79	---	---	---	3	10	174	17	469	17	17	---	469	
WEST	---	---	---	5	1,918	1,211	49	2	51	87	248	12	28	3,611	12	12	28	3,611	
U. S.	---	---	---	7	7,710	2,676	119	33	247	498	2,184	157	393	14,024	157	157	393	14,024	
MINNESOTA	---	---	---	1	2,942	637	34	5	30	163	788	48	20	4,668	48	48	20	4,668	
VIRGINIA	---	---	---	---	2,006	365	12	18	124	226	634	80	33	3,498	80	80	33	3,498	
CALIFORNIA	---	---	---	5	1,751	1,194	47	2	29	75	218	12	22	3,355	12	12	22	3,355	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	
V. ATLANTIC 3/	1	2	1	47	1.00	23.50	---	38	1	111.11	2.48
E. N. CENTRAL	52	65	1,027	1,304	19.64	20.15	816	1,009	24	42	2.62
W. N. CENTRAL	126	108	2,426	2,116	19.21	19.57	1,508	1,669	91	68	4.20
S. ATLANTIC	26	36	498	721	19.19	19.80	392	559	26	38	5.87
S. CENTRAL 3/	---	17	0	345	10.50	20.11	0	268	---	13	---
WEST	113	69	2,269	1,463	20.09	21.35	1,807	1,159	54	93	2.62
U. S.	318	297	6,221	5,996	19.59	20.18	4,923	4,702	196	215	3.50
MINNESOTA	60	53	1,214	1,006	20.39	18.90	963	796	42	30	3.87
MISSOURI	66	38	1,195	772	18.15	20.51	931	603	49	22	4.56
NORTH CAROLINA	26	36	498	712	19.19	19.99	392	552	26	38	5.89
CALIFORNIA	63	40	1,254	847	19.89	21.06	1,004	673	30	31	2.64

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1971

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	6	18	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	1	26	
E. N. CENTRAL	---	26	703	626	921	17	74	32	28	76	52	76	207	2	1	36	---	---	---	---	36	1,582	
W. N. CENTRAL	2	63	1,221	634	634	36	10	22	74	100	100	20	109	---	2	83	---	---	---	---	83	2,722	
S. ATLANTIC	---	---	452	44	44	2	5	3	10	23	23	15	---	---	---	230	---	---	---	---	230	1,516	
S. CENTRAL	---	---	471	11	11	79	234	71	5	51	51	111	---	---	---	10	---	---	---	---	10	573	
WEST	---	120	1,830	2,254	2,254	161	330	156	330	247	247	518	4	---	---	26	---	---	---	---	26	2,534	
U. S.	2	212	4,683	461	461	14	31	21	31	76	76	112	---	---	---	386	---	---	---	---	386	8,953	
MINNESOTA	---	7	560	209	209	1	26	4	26	10	10	46	---	---	---	3	---	---	---	---	3	1,285	
MISSOURI	---	20	410	633	633	36	10	21	10	19	19	109	---	---	---	61	---	---	---	---	61	787	
NORTH CAROLINA	---	3	433	1,228	1,228	53	206	6	206	20	20	53	---	---	---	230	---	---	---	---	230	1,494	
CALIFORNIA	---	2	1,228	1	1	53	206	6	206	20	20	53	---	---	---	26	---	---	---	---	26	1,595	

UNITED STATES DEPARTMENT OF AGRICULTURE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF  
AGRICULTURE



Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.